



2008 Toyota Camry

• **VEHICLE REPORT**

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

PRICING SUMMARY

Price Component	Invoice	MSRP
<i>Base Price</i>	\$18,860.00	\$21,075.00
<i>Total Options</i>	\$126.00	\$199.00
<i>Vehicle Subtotal</i>	\$18,986.00	\$21,274.00
<i>Advert/Adjustments</i>	\$0.00	\$0.00
<i>Destination Charge</i>	\$750.00	\$750.00
TOTAL VEHICLE PRICE	\$19,736.00	\$22,024.00



2008 Toyota Camry

• VEHICLE REPORT 2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

SELECTED MODEL

Code	Description	Invoice	MSRP
2532	2008 Toyota Camry 4dr Sdn I4 Auto LE (Natl)	\$18,860.00	\$21,075.00

SELECTED VEHICLE COLORS

Code	Description
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS

Code	Description	Invoice	MSRP
EMISSIONS			
FE	50 STATE EMISSIONS	\$0.00	\$0.00
SEAT TRIM			
FB_	FABRIC SEAT TRIM (STD)	\$0.00	\$0.00
PAINT TYPE			
__	STANDARD PAINT	\$0.00	\$0.00
POST PRODUCTION OPTIONS			
CF	5-PIECE CARPETED FLOOR & TRUNK MAT SET (PPO)	\$126.00	\$199.00
OPTIONS TOTAL		\$126.00	\$199.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 159.4, Data updated 4/6/2010 2:40:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.



2008 Toyota Camry

• VEHICLE REPORT

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

STANDARD EQUIPMENT

Mechanical

- *2.4L DOHC MPFI VVT-i 16-valve 4-cyl engine*
- *5-speed ECT-i automatic transmission w/OD*
- *Front wheel drive*
- *Battery saver feature*
- *Independent MacPherson strut front suspension*
- *Independent dual-link rear suspension*
- *Front/rear stabilizer bars*
- *P215/60R16 all-season tires*
- *T155/70D17 temporary spare tire*
- *16" x 6.5" steel wheels w/full covers*
- *Variable assist pwr rack & pinion steering*
- *Pwr front ventilated/rear solid disc brakes w/brake assist*
- *4-wheel anti-lock brake system w/electronic brake-force distribution*

Exterior

- *Halogen headlamps w/auto on/off*
- *Daytime running lamps*
- *High solar energy-absorbing glass*
- *Color-keyed pwr mirrors*
- *Variable intermittent windshield wipers*

Interior

- *Front bucket seats-inc: driver height adjuster, driver lumbar support, dual seatback pockets*
- *Multi-adjustable pwr driver seat*
- *60/40 split-folding rear seat*
- *Fabric seat trim*
- *Adjustable front & rear headrests*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 159.4, Data updated 4/6/2010 2:40:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.



2008 Toyota Camry

• VEHICLE REPORT

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

STANDARD EQUIPMENT

- *Center console armrest w/dual storage compartments*
- *Fold-down rear center armrest w/dual cup holders*
- *Tilt/telescoping steering wheel w/audio controls*
- *Digital clock*
- *Optitron gauges-inc: twin tripmeters, outside temp display*
- *Pwr windows w/driver-side auto-down, retained pwr*
- *Pwr auto door locks w/anti-lockout feature*
- *Remote trunk & fuel door releases*
- *Cruise control*
- *Tire pressure monitor system*
- *Remote keyless entry-inc: trunk release, panic feature*
- *Anti-theft system w/engine immobilizer*
- *HD electric rear window defogger w/timer*
- *AM/FM stereo w/CD player-inc: MP3/WMA playback, auxiliary audio jack, (6) speakers*
- *Defroster-linked air conditioning w/dust & pollen filter*
- *Lockable illuminated glove box*
- *In-glass antenna*
- *(2) 12V auxiliary pwr outlets*
- *Metallic interior trim w/chrome door handle accents*
- *Dual visor vanity mirrors*
- *Illuminated entry*
- *Overhead console w/front map lights & sunglass holder*
- *Front & rear map pockets*
- *Trunk luggage box*

Safety



2008 Toyota Camry

• VEHICLE REPORT

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

STANDARD EQUIPMENT

- *4-wheel anti-lock brake system w/electronic brake-force distribution*
- *Driver & front passenger advanced airbags w/occupant sensor*
- *Driver & front passenger seat-mounted side airbags*
- *Front & rear side curtain airbags*
- *Driver knee airbag*
- *3-point seat belts-inc: front adjustable shoulder anchors, emergency locking retractors (ELR)*
- *LATCH child restraint system*
- *Internal trunk release handle*
- *Child-protector rear door locks*
- *Daytime running lamps*

Processing-other

- *City 21/hwy 31 (2.4L engine/5-speed auto trans)*



2008 Toyota Camry

• VEHICLE REPORT

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

COLOR AVAILABILITY

Exterior	Interior	
	Ash (13)	Bisque (40)
Super White	X	X
Classic Silver Metallic	X	
Magnetic Gray Metallic	X	X
Black	X	X
Barcelona Red Metallic	X	X
Desert Sand Metallic		X
Aloe Green Metallic		X
Sky Blue Pearl	X	X
Blue Ribbon Metallic	X	X



2008 Toyota Camry

• WARRANTY INFORMATION

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

WARRANTY INFORMATION

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles



2008 Toyota Camry

• VEHICLE REPORT

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

WINDOW STICKER

Code	Model	MSRP
2532	2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)	\$21,075.00
Code	Options	MSRP
FE	50 STATE EMISSIONS	\$0.00
FB__	FABRIC SEAT TRIM	\$0.00
___	STANDARD PAINT	\$0.00
CF	5-PIECE CARPETED FLOOR & TRUNK MAT SET	\$199.00
SUBTOTAL		\$21,274.00
Advert/Adjustments		\$0.00
Destination Charge		\$750.00
TOTAL PRICE		\$22,024.00
Est City: 21.00 mpg		
Est Highway: 31.00 mpg		
Est Highway Cruising Range: 573.50 mi		



2008 Toyota Camry

• VEHICLE REPORT

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

PRICE BREAKDOWN

Price Component	Amount
MSRP	
<i>Base Price</i>	\$21,075.00
<i>Total Options</i>	\$199.00
Invoice	
<i>Base Price</i>	\$18,860.00
<i>Total Options</i>	\$126.00
Other	
<i>Destination Charge</i>	\$750.00
<i>Dealer Advertising</i>	\$0.00



2008 Toyota Camry

• TECHNICAL SPECIFICATIONS

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

POWERTRAIN - BASIC SPECIFICATIONS

Engine

<i>Engine Order Code</i>	
<i>Engine Type</i>	Gas I4
<i>Displacement</i>	2.4L/144 CID
<i>SAE Net Horsepower @ RPM</i>	158 @ 6000
<i>SAE Net Torque (lb ft) @ RPM</i>	161 @ 4000

Transmission

<i>Transmission order code</i>	
<i>Transmission Type Description</i>	5-Speed Automatic w/OD
<i>Drive Train</i>	Front Wheel Drive

Mileage

<i>City EPA fuel economy estimate (MPG)</i>	21.00
<i>Hwy EPA fuel economy estimate (MPG)</i>	31.00
<i>City cruising range (mi)</i>	388.50
<i>Hwy cruising range (mi)</i>	573.50

* Indicates equipment which is in addition to or replaces base model's standard equipment.



2008 Toyota Camry

• TECHNICAL SPECIFICATIONS

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

POWERTRAIN - ADVANCED SPECIFICATIONS

Transmission

Gear Ratio (:1)

<i>First Gear Ratio (:1)</i>	3.94
<i>Second Gear Ratio (:1)</i>	2.20
<i>Third Gear Ratio (:1)</i>	1.41
<i>Fourth Gear Ratio (:1)</i>	0.98
<i>Fifth Gear Ratio (:1)</i>	0.70
<i>Reverse Ratio (:1)</i>	3.15

Clutch size (in)

<i>Final Drive Axle Ratio (:1)</i>	3.39
------------------------------------	------

Electrical

<i>Battery</i>	1
<i>Battery cold cranking Amps @ 0 F</i>	- TBD -
<i>Alternator</i>	
<i>Alternator Amps</i>	- TBD -

Cooling System

<i>Cooling system capacity</i>	- TBD -
--------------------------------	---------

* Indicates equipment which is in addition to or replaces base model's standard equipment.



2008 Toyota Camry

• TECHNICAL SPECIFICATIONS

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

PAYLOAD/TRAILERING SPECIFICATIONS

Weight Information

Base curb weight (lbs) 3,307.00

Trailerling Max Trailer Wt. Max Tongue Load

Dead Weight Hitch (lbs) 1,000.00 100.00

Weight Distributing Hitch (lbs) 1,000.00 100.00

Fifth Wheel Hitch (lbs)

** Indicates equipment which is in addition to or replaces base model's standard equipment.*



2008 Toyota Camry

• TECHNICAL SPECIFICATIONS

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

CHASSIS SPECIFICATIONS

Suspension	Front	Rear	
<i>Suspension Type</i>	<i>MacPherson Strut</i>	<i>Dual-link</i>	
<i>Suspension Type (cont.)</i>			
<i>Shock Absorber Diameter (mm)</i>	<i>- TBD -</i>	<i>- TBD -</i>	
<i>Stabilizer Bar Diameter (in)</i>	<i>0.95</i>	<i>0.63</i>	
Brakes			
<i>Brake type</i>	<i>Pwr</i>		
<i>ABS System</i>	<i>4-Wheel</i>		
	Front	Rear	
<i>Disc</i>	Yes	Yes	
<i>Rotor Diam x Thickness (in)</i>	<i>11.65 x - TBD -</i>	<i>11.06 x - TBD -</i>	
<i>Drum</i>			
<i>Drum Diam x Width (in)</i>			
Tires	Front	Rear	Spare
<i>Tire Order Code</i>			
<i>Tire Size</i>	<i>P215/60R16</i>	<i>P215/60R16</i>	<i>T155/70D17</i>
Wheels	Front	Rear	Spare
<i>Wheel Size</i>	<i>16 x 6.5</i>	<i>16 x 6.5</i>	<i>17 x - TBD -</i>
<i>Wheel Type</i>	<i>Steel</i>	<i>Steel</i>	<i>Steel</i>
Steering			
<i>Steering type</i>	<i>Pwr Rack & Pinion</i>		
<i>Ratio (:1)</i>			
<i>Overall</i>	<i>16.00</i>		
<i>Lock-to-Lock Turns</i>	<i>3.20</i>		
<i>Turning Diameter</i>			
<i>Curb-to-Curb</i>	<i>36.10</i>		
<i>Wall-to-Wall</i>	<i>- TBD -</i>		
Fuel Tank	Main		
<i>Capacity</i>	<i>18.50</i>		

* Indicates equipment which is in addition to or replaces base model's standard equipment.



2008 Toyota Camry

• TECHNICAL SPECIFICATIONS

2008 Toyota Camry 2532 4dr Sdn I4 Auto LE (Natl)

DIMENSIONS

Exterior Dimensions

<i>Wheelbase (in)</i>	109.30
<i>Length, Overall (in)</i>	189.20
<i>Width, Max w/o mirrors (in)</i>	71.70
<i>Height, Overall (in)</i>	57.90
<i>Tread Width</i>	
<i>Track Width, Front</i>	62.00
<i>Track Width, Rear</i>	61.60
<i>Min Ground Clearance (in)</i>	5.50

Cargo Area Dimensions

<i>Liftover Height (in)</i>	- TBD -
<i>Trunk Volume</i>	15.00

Interior Dimensions

<i>Passenger Capacity</i>	5	
<i>Passenger Volume (ft³)</i>	101.40	
<i>EPA Classification</i>	Mid-Size	
<i>Seating Position</i>	<i>Front</i>	<i>Second</i>
<i>Head Room (in)</i>	38.80	37.80
<i>Leg Room (in)</i>	41.70	38.30
<i>Shoulder Room (in)</i>	57.80	56.90
<i>Hip Room (in)</i>	54.60	53.90

* Indicates equipment which is in addition to or replaces base model's standard equipment.