



2007 Volvo S60

• VEHICLE REPORT

2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

PRICING SUMMARY

Price Component	Invoice	MSRP
<i>Base Price</i>	\$29,067.00	\$30,885.00
<i>Total Options</i>	\$0.00	\$0.00
<i>Vehicle Subtotal</i>	\$29,067.00	\$30,885.00
<i>Advert/Adjustments</i>	\$0.00	\$0.00
<i>Destination Charge</i>	\$695.00	\$695.00
TOTAL VEHICLE PRICE	\$29,762.00	\$31,580.00



2007 Volvo S60

• VEHICLE REPORT 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

SELECTED MODEL

Code	Description	Invoice	MSRP
S60 2.5T A	2007 Volvo S60 4dr Sdn 2.5L Turbo AT FWD	\$29,067.00	\$30,885.00

SELECTED VEHICLE COLORS

Code	Description
-	<i>Interior: No color has been selected.</i>
-	<i>Exterior 1: No color has been selected.</i>
-	<i>Exterior 2: No color has been selected.</i>

SELECTED OPTIONS

Code	Description	Invoice	MSRP
	SEAT TRIM		
91__	CLOTH SEATING SURFACES (STD)	\$0.00	\$0.00
	PAINT		
__	STANDARD PAINT	\$0.00	\$0.00
OPTIONS TOTAL		\$0.00	\$0.00



• VEHICLE REPORT 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

STANDARD EQUIPMENT

Note

- ****ALL STANDARDS ARE 2007 UNLESS OTHERWISE NOTED****

Mechanical

- 2.5L DOHC low-pressure turbocharged I5 engine w/intercooler
- 5-speed automatic transmission
- Dynamic stability & traction control (DSTC)
- Front wheel drive
- PremAir treated radiator for smog reduction
- MacPherson Strut front suspension w/coil springs (2006)
- Multi-link independent rear suspension w/coil springs (2006)
- Front/rear stabilizer bars (2006)
- 215/55R16 tires
- 16" x 7" "EURUS" alloy wheels
- Pwr rack & pinion steering (2006)
- Pwr 4-wheel disc brakes
- 4-wheel anti-lock braking system (ABS) w/electronic brake distribution (EBD)

Exterior

- Color-keyed side/bumper moldings
- Halogen headlamps
- Front fog lights
- Rear fog light w/auto-off
- Safe Approach & Home Safe security lighting
- Daytime running lights
- Tinted windows
- Pwr heated mirrors w/memory, water repellent glass, integrated turn signals
- 2-speed/intermittent windshield wipers



2007 Volvo S60

• VEHICLE REPORT

2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

STANDARD EQUIPMENT

Interior

- *Front bucket seats w/head restraints*
- *8-way pwr driver seat w/adjustable lumbar, 3-position memory*
- *Flat-folding front passenger seat*
- *60/40 split-fold rear seat w/trunk pass-through, pwr folding head restraints*
- *Cloth seating surfaces*
- *Front center armrest*
- *Front/rear plush floor mats*
- *Leather-wrapped steering wheel w/illuminated cruise & audio controls*
- *Adjustable steering column*
- *Immobilizer theft deterrent system*
- *Trip computer*
- *Driver info display*
- *Outside temp gauge*
- *Tire pressure monitoring system*
- *Pwr windows-inc: front auto-up/down, anti-trap feature*
- *Central pwr door locks-inc: trunk*
- *Remote keyless entry*
- *Cruise control*
- *Security alarm system*
- *Dual-zone electronic climate control (ECC)-inc: rear seat vents*
- *Rear window defroster w/timer*
- *AM/FM stereo w/CD player-inc: 100-watt amp, (6) speakers*
- *Illuminated lockable glove box*
- *(2) front/(2) rear cup holders*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 159.4, Data updated 4/6/2010 2:40:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

August 11, 2010

Page 4



2007 Volvo S60

• VEHICLE REPORT 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

STANDARD EQUIPMENT

- *Front door storage pockets*
- *Dual illuminated visor vanity mirrors*
- *Front door entry lighting*
- *Front/rear reading lamps*
- *Interior cabin light delay feature*
- *Cargo area lights*
- *Leather gear shift knob*
- *Front seatback storage pockets*
- *Front/rear 12V pwr outlets*

Epa Fuel Economy Ratings

- *City 21/hwy 30 (2.5L engine/5-speed auto trans)*

Safety

- *4-wheel anti-lock braking system (ABS) w/electronic brake distribution (EBD)*
- *Driver/front passenger dual-threshold airbags (SRS)*
- *Side impact protection system (SIPS)-inc: driver/front passenger side-impact airbags, front/rear side-impact inflatable curtains (IC)*
- *3-point seat belts w/pretensioners for all seating positions*
- *Front seat belt height adjustment*
- *Overhead-mounted seat belt reminder lights*
- *ISO-FIX child seat attachments-inc: top tether seat anchors*
- *Child safety rear door locks*
- *Rear window deactivation*
- *Emergency trunk release*
- *Dynamic stability & traction control (DSTC)*
- *Driver/front passenger whiplash protection seating system (WHIPS)*
- *Collapsible steering column*



2007 Volvo S60

• VEHICLE REPORT

2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

STANDARD EQUIPMENT

- *Safety cage passenger compartment construction*
- *Anti-submarine seats*
- *Daytime running lights*



2007 Volvo S60

• VEHICLE REPORT

2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

COLOR AVAILABILITY

Exterior	Interior	
	<i>Graphite (70)</i>	<i>Taupe (80)</i>
<i>Passion Red</i>	X	X
<i>Ice White</i>	X	X



2007 Volvo S60

• WARRANTY INFORMATION

2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

WARRANTY INFORMATION

WARRANTY

Basic:

4 Years/50,000 Miles

Drivetrain:

4 Years/50,000 Miles

Corrosion:

12 Years/Unlimited Miles

Roadside Assistance:

4 Years/Unlimited Miles



2007 Volvo S60

• VEHICLE REPORT 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

WINDOW STICKER

Code	Model	MSRP
S60 2.5T A	2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD	\$30,885.00
Code	Options	MSRP
91__	CLOTH SEATING SURFACES	\$0.00
__	STANDARD PAINT	\$0.00
SUBTOTAL		\$30,885.00
	<i>Advert/Adjustments</i>	\$0.00
	<i>Destination Charge</i>	\$695.00
	TOTAL PRICE	\$31,580.00

Est City: 21.00 mpg
Est Highway: 30.00 mpg
Est Highway Cruising Range: 540.00 mi



2007 Volvo S60

• VEHICLE REPORT 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

PRICE BREAKDOWN

Price Component	Amount
MSRP	
<i>Base Price</i>	\$30,885.00
<i>Total Options</i>	\$0.00
Invoice	
<i>Base Price</i>	\$29,067.00
<i>Total Options</i>	\$0.00
Other	
<i>Destination Charge</i>	\$695.00
<i>Dealer Advertising</i>	\$0.00



2007 Volvo S60

• TECHNICAL SPECIFICATIONS 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

POWERTRAIN - BASIC SPECIFICATIONS

Engine

<hr/>	
<i>Engine Order Code</i>	
<i>Engine Type</i>	<i>Low-Pressure Turbo Gas I5</i>
<i>Displacement</i>	<i>2.5L/154 CID</i>
<i>SAE Net Horsepower @ RPM</i>	<i>208 @ 5000</i>
<i>SAE Net Torque (lb ft) @ RPM</i>	<i>236 @ 1500 - 4500</i>

Transmission

<hr/>	
<i>Transmission order code</i>	
<i>Transmission Type Description</i>	<i>5-Speed Automatic</i>
<i>Drive Train</i>	<i>Front Wheel Drive</i>

Mileage

<hr/>	
<i>City EPA fuel economy estimate (MPG)</i>	<i>21.00</i>
<i>Hwy EPA fuel economy estimate (MPG)</i>	<i>30.00</i>
<i>City cruising range (mi)</i>	<i>378.00</i>
<i>Hwy cruising range (mi)</i>	<i>540.00</i>

** Indicates equipment which is in addition to or replaces base model's standard equipment.*



• TECHNICAL SPECIFICATIONS 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

POWERTRAIN - ADVANCED SPECIFICATIONS

Transmission

<i>Gear Ratio (:1)</i>	
<i>First Gear Ratio (:1)</i>	4.66
<i>Second Gear Ratio (:1)</i>	3.03
<i>Third Gear Ratio (:1)</i>	1.98
<i>Fourth Gear Ratio (:1)</i>	1.34
<i>Fifth Gear Ratio (:1)</i>	1.02
<i>Reverse Ratio (:1)</i>	- TBD -
<i>Clutch size (in)</i>	
<i>Final Drive Axle Ratio (:1)</i>	2.27

Electrical

<i>Battery</i>	1
<i>Battery cold cranking Amps @ 0 F</i>	- TBD -
<i>Alternator</i>	
<i>Alternator Amps</i>	- TBD -

Cooling System

<i>Cooling system capacity</i>	- TBD -
--------------------------------	---------

* Indicates equipment which is in addition to or replaces base model's standard equipment.



2007 Volvo S60

• TECHNICAL SPECIFICATIONS 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

PAYLOAD/TRAILERING SPECIFICATIONS

Weight Information

Base curb weight (lbs) 3,501.00

Trailerling Max Trailer Wt. Max Tongue Load

Dead Weight Hitch (lbs) 3,300.00 330.00

Weight Distributing Hitch (lbs) 3,300.00 330.00

Fifth Wheel Hitch (lbs)

** Indicates equipment which is in addition to or replaces base model's standard equipment.*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 159.4, Data updated 4/6/2010 2:40:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.



2007 Volvo S60

• TECHNICAL SPECIFICATIONS 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

CHASSIS SPECIFICATIONS

Suspension	Front	Rear
<i>Suspension Type</i>	<i>MacPherson Strut</i>	<i>Independent Multilink</i>
<i>Suspension Type (cont.)</i>	<i>w/Coil Springs</i>	<i>w/Coil Springs</i>
<i>Shock Absorber Diameter (mm)</i>	- TBD -	- TBD -
<i>Stabilizer Bar Diameter (in)</i>	0.91	0.75

Brakes	Front	Rear
<i>Brake type</i>	<i>Pwr</i>	
<i>ABS System</i>	<i>4-Wheel</i>	
<i>Disc</i>	Yes	Yes
<i>Rotor Diam x Thickness (in)</i>	12.0 x - TBD -	11.3 x - TBD -
<i>Drum</i>		
<i>Drum Diam x Width (in)</i>		

Tires	Front	Rear	Spare
<i>Tire Order Code</i>			
<i>Tire Size</i>	215/55R16	215/55R16	- TBD -
<i>Wheels</i>	Front	Rear	Spare
<i>Wheel Size</i>	16 x 7	16 x 7	- TBD -
<i>Wheel Type</i>	Alloy	Alloy	- TBD -

Steering	
<i>Steering type</i>	<i>Pwr Rack & Pinion</i>
<i>Ratio (:1)</i>	
<i>Overall</i>	16.40
<i>Lock-to-Lock Turns</i>	3.00
<i>Turning Diameter</i>	
<i>Curb-to-Curb</i>	38.70
<i>Wall-to-Wall</i>	- TBD -

Fuel Tank	Main
<i>Capacity</i>	18.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.



• TECHNICAL SPECIFICATIONS 2007 Volvo S60 S60 2.5T A 4dr Sdn 2.5L Turbo AT FWD

DIMENSIONS

Exterior Dimensions

Wheelbase (in)	106.90
Length, Overall (in)	181.20
Width, Max w/o mirrors (in)	71.40
Height, Overall (in)	56.20
Tread Width	
Track Width, Front	61.50
Track Width, Rear	60.70
Min Ground Clearance (in)	- TBD -

Cargo Area Dimensions

Liftover Height (in)	- TBD -
Trunk Volume	13.90

Interior Dimensions

Passenger Capacity	5	
Passenger Volume (ft³)	- TBD -	
EPA Classification	Compact	
Seating Position	Front	Second
Head Room (in)	38.70	37.90
Leg Room (in)	42.60	33.30
Shoulder Room (in)	56.20	55.50
Hip Room (in)	55.00	54.60

* Indicates equipment which is in addition to or replaces base model's standard equipment.