

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

WINDOW STICKER

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited		Interior: - No color has been selected.
3.3L/204 CID Gas V6		Exterior 1: - No color has been selected.
5-Speed Automatic w/OD		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
	26462 2009 Hyundai Sonata 4dr Sdn V6 Auto Limited	\$26,550.00
OPTIONS		
01	STANDARD EQUIPMENT GROUP	\$0.00
—	STANDARD PAINT	\$0.00
CF	CARPETED FLOOR MATS	\$90.00
SUBTOTAL		\$26,640.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$695.00
TOTAL PRICE		\$27,335.00
Est City: 19.00 mpg		
Est Highway: 28.00 mpg		
Est Highway Cruising Range: 495.60 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

VEHICLE DETAILS

SELECTED MODEL - 2009 26462 4dr Sdn V6 Auto Limited

<u>Code</u>	<u>Description</u>	<u>Invoice</u>	<u>MSRP</u>
	26462 2009 Hyundai Sonata 4dr Sdn V6 Auto Limited	\$24,809.00	\$26,550.00

SELECTED VEHICLE COLORS - 2009 26462 4dr Sdn V6 Auto Limited

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2009 26462 4dr Sdn V6 Auto Limited

CATEGORY

<u>Code</u>	<u>Description</u>	<u>Invoice</u>	<u>MSRP</u>
OPTION PACKAGE			
01	STANDARD EQUIPMENT GROUP -inc: base vehicle only	\$0.00	\$0.00
PAINT			
___	STANDARD PAINT	\$0.00	\$0.00
PORT INSTALLED OPTIONS			
CF	CARPETED FLOOR MATS (PIO)	\$73.00	\$90.00
OPTIONS TOTAL		\$73.00	\$90.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

VEHICLE DETAILS

STANDARD EQUIPMENT - 2009 26462 4dr Sdn V6 Auto Limited

EXTERIOR

- 17" alloy wheels
- P215/55R17 all-season tires
- Compact spare tire
- Pwr tilt/slide glass sunroof
- Body-color bumpers
- Chrome-insert body-side moldings
- Body-color heated pwr mirrors
- Chrome bar-style grille
- Chrome window trim
- Fog lights
- Solar control glass
- Auto headlight on/off control
- Speed-sensitive variable intermittent windshield wipers
- Chrome-insert door handles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

VEHICLE DETAILS

STANDARD EQUIPMENT - 2009 26462 4dr Sdn V6 Auto Limited

INTERIOR

- Leather seating surfaces
- Heated front bucket seats w/8-way pwr driver, driver lumbar, active head restraints
- Rear 60/40 split-fold seats w/outboard headrests
- Dual tier console w/sliding armrest, storage, (2) cupholders
- Rear center armrest w/(2) cupholders
- Center console mounted 12-volt pwr outlet
- Full floor carpeting
- Premium door sill scuff plates
- Leather wrapped tilt/telescoping steering wheel w/audio controls
- Instrumentation-inc: tachometer, coolant temp, trip odometer, digital clock
- Warnings-inc: oil pressure, battery, door ajar, trunk open, brake, check engine
- Trip computer
- Tire pressure monitoring system (TPMS)
- Pwr windows w/driver auto up/down, pinch protection, lockout
- Pwr door locks
- Remote keyless entry system w/alarm
- Remote fuel/hood release
- Cruise control
- Infinity AM/FM/XM stereo w/6-disc CD/MP3 changer-inc: i-Pod/USB/aux inputs, (6) speakers, subwoofer, 360-watt amp
- In-glass antenna
- Automatic temp control air conditioning w/cabin air filter
- Rear window defroster
- Locking glovebox
- Simulated leather door trim

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

VEHICLE DETAILS

STANDARD EQUIPMENT - 2009 26462 4dr Sdn V6 Auto Limited

- Map pockets
- Electrochromic rearview mirror-inc: HomeLink universal garage door opener, compass
- Assist grips
- Lighting-inc: dome, ignition, glovebox, map
- Metalgrain interior accents
- Leather-wrapped shift knob
- Seatback pockets
- Rear coat hanger

MECHANICAL

- 3.3L DOHC V6 engine
- 5-speed Shiftronic automatic transmission w/OD
- Shift interlock system
- Traction control system (TCS) w/electronic stability control (ESC)
- Front wheel drive
- Independent double-wishbone front suspension w/gas shocks
- Independent multi-link rear suspension w/gas shocks
- Front/rear stabilizer bars
- Engine-speed-sensing pwr steering
- 4-wheel disc brakes
- 4-wheel anti-lock brakes (ABS) w/electronic brake-force distribution (EBD), brake assist
- Chrome tipped dual exhaust

PROCESSING-OTHER

- City 19/hwy 28 (3.3L engine/5-speed auto trans)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

VEHICLE DETAILS

STANDARD EQUIPMENT - 2009 26462 4dr Sdn V6 Auto Limited

SAFETY

- 4-wheel anti-lock brakes (ABS) w/electronic brake-force distribution (EBD), brake assist
- Driver/front passenger advanced airbags
- Driver/front passenger seat-mounted side-impact airbags
- Front/rear side-curtain airbags
- 3-point seatbelts for all seating positions
- Front seat belt pretensioners & force limiters
- Childproof rear door locks
- Emergency internal trunk release
- Lower anchors & upper tether anchors (LATCH)
- Energy-absorbing steering column
- Traction control system (TCS) w/electronic stability control (ESC)
- Shift interlock system
- Front/rear crumple zones
- Body-side reinforcements
- Hood buckling creases & safety stops

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

WARRANTY INFORMATION

WARRANTY INFORMATION - 2009 26462 4dr Sdn V6 Auto Limited

WARRANTY

<<< PRELIMINARY 2009 WARRANTY >>>

Basic:

5 Years/60,000 Miles

Drivetrain:

10 Years/100,000 Miles

Corrosion:

7 Years/Unlimited Miles

Roadside Assistance:

5 Years/Unlimited Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2009 26462 4dr Sdn V6 Auto Limited

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	3.79
Second Gear Ratio (:1)	2.06
Third Gear Ratio (:1)	1.42
Fourth Gear Ratio (:1)	1.03
Fifth Gear Ratio (:1)	0.73
Reverse Ratio (:1)	2.68
Clutch size (in)	
Final Drive Axle Ratio (:1)	3.33

ELECTRICAL

Battery	1
Battery cold cranking Amps @ 0 F	
Alternator	
Alternator Amps	130.00

COOLING SYSTEM

Cooling system capacity	9.40
-------------------------	------

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2009 26462 4dr Sdn V6 Auto Limited

WEIGHT INFORMATION

Base curb weight 3,494.00

TRAILERING

	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lb)	2,000.00	200.00
Weight Distributing Hitch (lb)		

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Hyundai Sonata 4dr Sdn V6 Auto Limited 26462

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2009 26462 4dr Sdn V6 Auto Limited

EXTERIOR DIMENSIONS

Wheelbase (in)	107.40
Length, Overall (in)	188.90
Width, Max w/o mirrors (in)	72.10
Height, Overall (in)	58.00
Tread Width	
Tread Width, Front	62.0
Tread Width, Rear	61.4
Min Ground Clearance (in)	6.30

CARGO AREA DIMENSIONS

Liftover Height (in)	
Trunk Volume	16.3

INTERIOR DIMENSIONS

Passenger Capacity	5	
Passenger Volume (ft³)	105.40	
EPA Classification	Large	
Seating Position	Front	Second
Head Room (in)	40.10	38.20
Leg Room (in)	43.70	37.40
Shoulder Room (in)	57.40	56.90
Hip Room (in)	55.50	55.30

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File: